TANKJET 360 TANK CLEANER FEATURES AND BENEFITS

- Provides consistent, high-impact, high-efficiency cleaning over the entire pressure range for short cycle times
- Can be used for high-concentration chemical recirculation cleaning or low-pressure, high-volume cleaning
- Choice of dual- or triple-nozzle fluid-driven hubs in food-grade, oil-lubricated or flow-through gearbox designs
- Nozzles rotate 360° in horizontal and vertical planes, creating a crisscrossing pattern to thoroughly clean tanks and remove the stickiest of residues
- All units are built-to-order, lightweight for easy portability and compact to fit in small tank openings
- Standard clutch version permits easy nozzle hub rotation by hand for insertion and removal from tank; optional pin version for permanent or CIP installations; optional external, self-rinsing nozzles are available for both pin and clutch versions
- Built-in strainer minimizes clogging and extends wear life; user-serviceable for easy maintenance

TankJet 360 tank cleaner



| MOUNTING OPTIONS | | | | |
|------------------|---------|----------|--|--|
| Vertical | | + | | |
| Horizontal | + | + | | |
| 45° Up | K | × | | |
| 45° Down | K | × | | |

SPECIFICATIONS


| TankJet 360 Tank Cleaner | |
|--------------------------|---|
| Max. tank diameter: | 30 m |
| Operating principle: | Fluid-driven turbine |
| Flow rate: | 114 to 1136 I/min |
| Operating pressure: | 2.8 to 24.1 bar |
| Wash cycle time: | 10 to 30 min |
| Max. temperature: | 121 °C |
| Materials: | Gears – 17-4PH stainless steel Gear shaft bearing system – PTFE or oilite bearing O-rings – self-lubricating EPDM or Viton* Seals – high-performance spring-energized PTFE All other metallurgy – 316 stainless steel |
| Inlet connection: | 2" NPT (F) with 2-1/2" quick disconnect (M) 2" NPT (F) with 2-1/2" NST (NH) hose thread (M) 2" BSPT (F) with 2-1/2" quick disconnect (M) |
| Optional accessories: | Strainers, recommended mesh size: < 840 µm. See page E2 |

^{*}For flow rates below 114 I/min, contact your local sales engineer for information about TankJet 363 tank cleaners with patented low-flow technology that reduces wastewater costs.


IDEAL FOR CLEANING:

- Blenders
- Brewery tanks
- Food processing vats and tanks
- · Pulp storage chests
- Petrochemical/chemical processing reactors
- Processing tanks
- Tanker trucks
- Wine vats





PERFORMANCE DATA



DIMENSIONS AND WEIGHTS

| TankJet 360 Tank Cleaner | No. of Nozzles | L mm | Min. Tank Opening mm |
|--------------------------|----------------|---------|-------------------------|
| MIN. TANK OPENING | 2 | 338 | 158 |
| MIN. TANK OPENING | 3 | 338 | 260 |

For lances, mounting kits, adapters and more, see page E6

ORDERING INFORMATION

Call your local spray expert for application assistance or to place an order.