

OVERVIEW: GUNJET SPRAY GUNS

Ideal for: plant clean-up

- Full range of handheld spray guns ranging from gentle low-pressure to high-impact, high-pressure sprays
- Specially designed handles to improve control and reduce operator fatigue
- Smooth-pull triggers to enable accurate and consistent flow control
- Textured grips to minimize the chance for slippage and accidents
- Wide range of nozzles, extensions, adapters, connectors and strainers available

Some of the most commonly used products in mills are featured here. For complete specifications and performance data, see GunJet Spray Guns, Cat. 75A.



GUNJET SPRAY GUN OPTIONS

CU150A Low Pressure Spray Gun

- · Black or white rubber outer cover
- Color bands for easy identification of flow capacities
- Adjustable spray pattern from hollow cone to solid stream
- Optional swivel connectors with trigger lock provide smooth 360° operation, eliminating hose kinking and reducing operator fatigue
- Choice of brass, aluminum or stainless steel body
- Spare parts kit available for easy maintenance, see GunJet Spray Guns, Cat. 75A



FOR MORE OPTIONS, SEE GUNJET SPRAY GUNS, CAT. 75

AA70 High Pressure Spray Guns

- Trigger lock and guard
- Designed to withstand high impact
- Ergonomic design with light trigger pull
- Large grip area to accommodate work gloves
- Vented handle remains comfortable during hot spraying operations
- Optional "weep" feature helps prevent freezing in cold conditions
- In-line swivel provides smooth 360° operation, eliminating hose kinking and reducing operator fatigue
- IMEG, MEG, QCIMEG WashJet® spray tips available. See Hydraulic Spray Products, Cat. 75 for performance data



LOW PRESSURE GUNJET SPRAY GUNS QUICK REFERENCE GUIDE

Model	Model Type	Max. Operating Pressure psi (bar)	Capacity gpm (Ipm)	Max. Temperature °F (°C)	Inlet Conn. Type/Size in.	Outlet Conn. in.
	AA30L	250 (17)	5 (19)	200 (93)	1/4 F	11/16-16 UniJet® THD
F	AA60-21580	250 (17)	16 (60)	300 (150)	3/8 F	-
	CU150A	150 (10)	10 to 22 (38 to 83)	200 (93)	1/2 F	-
	AA 36	150 (10)	7 (27)	140 (60)	1/4, 3/8 F	1/4, 3/8 F

MEDIUM PRESSURE GUNJET SPRAY GUNS QUICK REFERENCE GUIDE

Model	Model Type	Max. Operating Pressure psi (bar)	Capacity gpm (Ipm)	Max. Temperature °F (°C)	Inlet Conn. Size/Type in.	Outlet Conn. Size/Type in.
TH	36533-60	600 (41)	12 (45)	200 (93)	3/8 F	11/16-16 UniJet® THD
	AA23L	250 (17)	5 (19)	200 (93)	1/4 NPS M	11/16-16 UniJet THD
	AA31	500 (35)	5 (19)	200 (93)	1/4 NPS M or NPT or BSPT F	11/16-16 UniJet THD

HIGH PRESSURE GUNJET SPRAY GUNS QUICK REFERENCE GUIDE

Model	Model Type	Max. Operating Pressure psi (bar)	Capacity gpm (Ipm)	Max. Temperature °F (°C)	Inlet Conn. Size/Type in.	Outlet Conn. Size/Type in.
F	AA30A	1500 (105)	5 (19)	200 (93)	1/4 F	11/16-16 UniJet® THD
F	AA60	2500 (175)	6 (23)	300 (150)	3/8 F	11/16-16 UniJet THD
	AA70	5000 (345)	10 (38)	300 (150)	3/8 F	1/4 F
	AA80	3000 (207)	10 (38)	300 (150)	3/8 F	11/16-16 UniJet THD or 1/4, 3/8 F