

# PathoCide® Effectiveness on Pre-Cleaned, Hard, Non-Porous Surfaces.



Always clean soiled surfaces with PathoClean® before disinfecting with PathoCide.



**FOOD CONTACT SURFACE SANITIZING ORGANISMS**

**VIRUSES**

**BROAD SPECTRUM HOSPITAL DISINFECTANT**

**ANTIBIOTIC-RESISTANT BACTERIAS**

**FUNGI**

Target Organism	PathoCide Kill Time
Salmonella Enterica Staphylococcus Aureus	1 minute
SARS-COV-2 (The virus that causes COVID-19)	1 minute
H1N1 Influenza A Norovirus	10 minutes
Salmonella Enterica Staphylococcus Aureus Pseudomonas Aeruginosa	10 minutes
MRSA VRE	10 minutes
Trichophyton Mentagrophytes	10 minutes

Method requirements from Environmental Protection Agency (EPA) Product Performance Test Guidelines OSCPP 810.2200. Not an approval from the EPA.

The PathoSans Cleaning and Sanitizing System is regulated as a pesticide device manufactured at EPA establishment number 88161-IL-002.



Complete efficacy claims found at:  
[pathosans.com/efficacy](https://pathosans.com/efficacy)

1.833.553.2648

[PathoSans.com](https://PathoSans.com)

**PATHOSANS • THE CLEAN THAT SAYS YOU CARE**